







AMERICAN REACH IN CHILLER AND FREEZER

| | | | | | | |
|-------------------------------------|---|---|---|---|---|---|
| Product Photo |  |  |  |  |  |  |
| Model Number | UR-27C-1 | UR-27F-1 | UR-54C-2 | UR-54F-2 | UR-78C-3 | UR-78F-3 |
| Unit Size (mm) [WxDxH] | 700x825x2095 (27.5"x32.5"x82.5") | | 1370x825x2095 (54"x32.5"x82.5") | | 2020x825x2095 (80"x32.5"x82.5") | |
| Net Capacity (L) | 430 (15.2cu.ft) | | 920 (32.5cu.ft) | | 1420 (50.2cu.ft) | |
| Temperature Range (°C) | 0~10 (32~50°F) | -22~-18 (-8~0°F) | 0~10 (32~50°F) | -22~-18 (-8~0°F) | 0~10 (32~50°F) | -22~-18 (-8~0°F) |
| Climatic Class | 4 (32°C & 55% R.H) | | | | | |
| Voltage | 110V/60Hz | | | | | |
| Controller Type | Digital | | | | | |
| Body Material | AISI 430 | | | | | |
| Body Thickness (mm) | 75 | | | | | |
| Isolation | Cyclopentane (40kg/m ³) | | | | | |
| Drawer Quantity (Pc) | 1 | | 2 | | 3 | |
| Chamber Quantity (Pc) | 1 | | | | | |
| Shelf Quantity (Pc) | 4 (530x650mm 20.9"x25.6") | | 8 (530x650mm 20.9"x25.6") | | 12 (530x650mm 20.9"x25.6") | |
| Cooling Mode | Forced air | | | | | |
| Defrosting Mode | Electric heater | | | | | |
| Rated Power (W) | 300 | 500 | 350 | 980 | 850 | 1400 |
| Compressor (HP) | 1/6 | 1/2 | 1/5 | 1 | 1/2 | 3/4*2 |
| Energy Consumption (Kwh/24H) | 3.6 | 8.0 | 4.2 | 16.0 | 8.0 | 23.0 |
| Energy Class | / | / | / | / | / | / |
| Refrigerant | R-290 | | | | | |
| Customized Items | Voltage/Body material/Digital controller/Wheel | | | | | |

| |
|----------------------------------|
| Model Number |
| Unit Size (mm) [WxDxH] |
| Net Capacity (L) |
| Temperature Range (°C) |
| Climatic Class |
| Voltage |
| Controller Type |
| Body Material |
| Body Thickness (mm) |
| Isolation |
| Drawer Quantity (Pc) |
| Chamber Quantity (Pc) |
| Shelf Quantity (Pc) |
| Cooling Mode |

| |
|--|
| Defrosting Mode |
| Rated Power (W) |
| Compressor (HP) |
| Energy Consumption (Kwh/24H) |
| Energy Class |
| Refrigerant |